



Ernie Fletcher
Governor

Mark David Goss
Chairman

LaJuana S. Wilcher, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Teresa J. Hill
Vice Chairman

Christopher L. Lilly
Commissioner
Department of Public Protection

August 1, 2006

Mr. Robert Burgess
Chairman
Bullock Pen Water District
One Farrell Drive
P.O. Box 188
Crittenden, Kentucky 41030

RE: Case No. 2004-00339
Status Request

Dear Mr. Burgess:

The Commission entered the enclosed Final Order in this case on February 14, 2005. It was ordered that "Bullock Pen shall notify the Commission in writing 7 days prior the the actual commencement of the proposed construction and when 50% of the proposed construction is completed."

To date, this information has not been received. This letter is to request a status on the information requested in said Order. We would appreciate receiving a response to this letter within 15 days. Please mail this response to Michael F. Burford, Director of Filings Division, Public Service Commission, 211 Sower Blvd., Post Office Box 615, Frankfort, Kentucky 40602.

Sincerely,


Michael F. Burford
Director
Division of Filings

Enclosure
/mb